



N B G C H I N A G R O U P

CONSTRUCTION FINISHING AND DECORATION



NBG China Group is a diversified industrial holding with multiple manufacturing units strategically located across China.

NBG CHINA GROUP

Industrial Machinery

Construction Finishing and Decoration

Cables

Automotive

Stationery School Supplies

Beauty and Wellness

Camping and Fishing

Sports

Packing

Agriculture

Pets

Electronics / Electrical

Stainless Steel Sinks Faucets

Industrial Consumables

02 PVC Ceiling

04 PVC Artificial Marble

06 WPVC

08 Windows

09 Doors

10 Locks



NBG China Group is a diversified industrial holding with multiple manufacturing units strategically located across China. The group operates in a wide range of sectors, delivering solutions that span from highly complex industrial products to simpler consumer goods.

Our strength lies in our integrated production capabilities, operational flexibility, and commitment to quality, supported by our ISO 9001 certification. This ensures that our processes meet the highest international standards for quality management, enabling us to serve both domestic and international markets with efficiency and reliability.

With continuous investment in technology, innovation, and sustainability, NBG China Group stands out as a trusted and strategic partner for companies seeking excellence in manufacturing and dependable industrial solutions.

PVC CEILING

Thickness	0.5cm,0.6cm,0.7cm,0.8cm,0.85cm,0.95cm,1.0cm,1.1cm,1.2cm,1.5cm
Width	6cm,10cm,20cm,25cm,30cm,59.5cm,60.3cm
Length	2m,2.7m,3m,3.66m,4m,5.8m,5.95m, or by customer require
Weight	1.8kg,1.9kg,2.0kg,2.1kg,2.2kg,2.3kg,2.4kg,2.5kg,2.6kg,2.7kg,2.8kg,2.9kg,3.0kg,3.1kg,3.2kg,3.3kg,3.4kg,3.5kg,4.0kg,4.5kg,5.0kg/SQM
Material	35%,40%,45%,50%,55%,60%,65%,70%,75%,80%,85%PVC


Lamination Series



L001




L003



L004



L013




L020



L043



L046



LW066


Painting Series



P004



P009



P011



P027



P030



P034




P051



P066




Hot Stamping Series




H005



H010



H012



H016



H020



H025




H030



H040

Accessories Series



JX-002




JX-015



JX-016



JX-020




JX-024



JX-030

PVC ARTIFICIAL MARBLE




Impression Of Athens




SPC003

SPECIFICATIONS:
1200*2400mm/1200*2600mm/1200*2800mm
INSTALL:
Section Bar And Binder
APPLICABLE SPACE:
Saloon/Bathroom/Hotel/KTV/School

Impression Of Athens




KL8231
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS



KL8231-1
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS




KL8232
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS



KL8233
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS

Bright Star River



SPC002

SPECIFICATIONS: 1200*2400mm/1200*2600mm/1200*2800mm
INSTALL: SECTION BAR AND BINDER
APPLICABLE SPACE: SALOON/BATHROOM/HOTEL/KTV/SCHOOL

Bright Star River



SPC008

SPECIFICATIONS: 1200*2400mm/1200*2600mm/1200*2800mm
INSTALL: SECTION BAR AND BINDER
APPLICABLE SPACE: SALOON/BATHROOM/HOTEL/KTV/SCHOOL

Angara White



SPC004

SPECIFICATIONS: 1200*2400mm/1200*2600mm/1200*2800mm
INSTALL: SECTION BAR AND BINDER
APPLICABLE SPACE: SALOON/BATHROOM/HOTEL/KTV/SCHOOL

Angara White



SPC010

SPECIFICATIONS: 1200*2400mm/1200*2600mm/1200*2800mm
INSTALL: SECTION BAR AND BINDER
APPLICABLE SPACE: SALOON/BATHROOM/HOTEL/KTV/SCHOOL




KL8238
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS




KL8239
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS




KL8240
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS



KL8243
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS



KL8256
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS



KL8256-2
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS




KL8257
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS



KL8257-2
1200*2400mm/1200*2600mm/1200*2800mm
SPECIFICATIONS

WPVC

Decking



ZY-C003



ZY-C006



ZY-CA-019




Colors




Super Deck



ZY-C3-001



ZY-C3-002



ZY-C3-003



ZY-C3-004

Wood Grain Designs



Wall Panel



ZY-W013



ZY-W014



ZY-W015



Louver & Screen



ZY-CA-018
31.5*41.5mm



ZY-CA-005
60*42mm



ZY-CA-006
100*52mm

Fencing



ZY-F003
150*20mm



ZY-F009
151*22.22mm



ZY-F010
90*22mm

Handrail



ZY-R001



ZY-R003

PVC/ASA Decking

With its reinforced strength& natural matteappearance, PVC ASA co-extrusion decking is oneof the latest options for lanscapers.



ZY-ASA001
140*23mm



ZY-ASA002
140*23mm

Diy Tile

With its reinforced strength & natural matteappearance, PVC ASA co-extrusion decking is oneof the latest options for lanscapers.



ZY-CT-001
300*300*22mm



ZY-CT-004
300*300*22mm



WINDOWS

Folding Window



Sliding Window



Casement Window



Other Window



Fold Up Window

- Double with low-e argon gas for options
- Interpon powder coating
- Hardware multiple point lock system for weather sealing and burglarproofing
- Various configuration options
- Used on luxury house, hotel, residence, commercial buildings

80 Series Thermal Break Sliding Window

- Hi-Tech profile and reinforced material
- Reinforced glass fiber thermal insulation bar with high loading capacity
- Pressure extrusion for higher strength level
- Multi-point hardware lock system for weather sealing and burglarproofing
- Truss structure design for increased structural strength
- Corner locking key ensures the smooth surface joint and improves corner stability

80 Series Thermal Break Tilt And Turn Window

- Lock System: multi-point locking system for high sealing performance made in Germany brand
- Design: combine the features of casement windows and awning windows
- Customize window and solution provide
- Durable, low-maintenance

Awning Window

- Lock System: multi-point locking system for high sealing performance
- Customize window and solution provide
- Durable, low-maintenance

DOORS

Folding Door



68 Series Folding Door

Products Characteristics

- Lock system: range of folding door locks for high sealing performance made in Germany brand
- Design: easy & smooth slider action
- Customize door and solution provide
- Warranty: 5 years quality warranty
- Special impact profile and glass, safe from hurricane

75 Series Thermal Break Sliding Door

Products

Characteristics

- Hi-Tech profile and reinforced material
- Reinforced glass fiber thermal insulation bar with high loading capacity
- Pressure extrusion for higher strength level
- Multi-point hardware lock system for weather sealing and burglarproofing
- Truss structure design for increased structural strength
- Corner locking key ensures the smooth surface joint and improves corner stability

Hinged Door



French Door

Products Characteristics

- Lock System: multi-point locking system for high sealing performance
- Design: open from multiple angles
- Customize door and solution provide
- Warranty: 5 years quality warranty

Sliding Door



Garage Door



Aluminum Full View Glass Garage Door

Products

Characteristics

- High color retention 6063-T5 aluminum profile, without stress corrosion cracking tendency ensure that the profile color can maintain at least 15 years and not deformation.

Locks

V10 Series



Material :	Aluminium alloy	Battery :	5 alkaline battery*4
Service Life :	200,000 times	NFC :	Support
Mortise :	6068 mortise	Low Battery Alerts :	Yes
The Class Of Cylinder :	class C		
The Type Of USB Charing Port :	Type C		



Fingerprint Lock



S6 Series



Material :	Zinc alloy	Battery :	7 alkaline battery*4
Service Life :	200,000 times	NFC :	Support
Mortise :	22*147;22*160,22*170etc	Low Battery Alerts :	Yes
The Type Of USB Charing Port : Type C			

FF02



Material :	Zink alloy	Battery :	5 alkaline battery*4
Service Life :	200,000+ times	NFC :	Support
Low Battery Alerts :	Yes	The Type Of USB Charing Port : Type C	

FF05



Communication :	Mode: Bluetooth 5.0	WiFi Connection :	Support(with gateway)
Amazon Alexa :	Support(with gateway)	Google Assistant :	Support(with gateway)
Battery Alarm :	Support	Battery :	AA battery*4
Battery Life :	300 days		

Deadbolt Lock



FF01



Material :	Zink alloy	Battery :	5 alkaline battery*4
Service Life :	200,000+ times	NFC :	Support
Low Battery Alerts :	Yes	The Type Of USB Charing Port : Type C	

Intelligent Glass Door Lock



B12 Series



Card Capacity :	254pcs	Password Capacity :	254 pcs
Total Capacity :	254pcs	Fingerprint Capacity :	50 pcs
Battery :	5 alkaline battery*4		
Sope Of Application : 12MM frameless glass door (door gap size 4-15MM); 30-120MM framed glass door, wooden door			



Contact us

E-MAIL:

export@nbgchinagroup.com

ADDRESS:

608 South Building of Yinzhou Chamber of Commerce,
Yin Xian Avenue, Ningbo City, Zhejiang Province,
Zipcode 315100




CONSTRUCTION
FINISHING
AND DECORATION

Let's turn your vision into reality.
Get in touch with us today!

Add us on WeChat



Follow us on Instagram



Add us on WhatsApp

